

HVAC-Refrigeration Wholesaler

WWG

TOTALINE

REFRIGERATION



PRICE LIST 2017

KOLD-DRAFT®

ice Machines • bins • crushers • dispensers

2017 Brochure



STILL THE ONLY CUBE OF ITS KIND.



COMMITTED TO YOUR SUCCESS | THOUSANDS OF PRODUCTS, PRICED RIGHT
UNMATCHED EXPERTISE AND SERVICE | ALWAYS READY WHEN YOU ARE



Visit us online at
wwgtotaline.ca

PRICES SUBJECT TO CHANGE
WITHOUT NOTICE. SOME ITEMS
LISTED MAY NOT BE AVAILABLE
IN ALL STORES. SOME PRODUCTS
AVAILABLE IN LIMITED QUANTITIES.
SOME PROMOTIONS ARE FOR A
LIMITED TIME ONLY OR WHILE
QUANTITIES LAST. ASK IN STORE
FOR DETAILS.

© CARRIER ENTERPRISE CANADA 2017

ICE SPECIFICATION GUIDE

Soft Drinks @ ¾ Full of Cubed Ice	Approx. Ice Needed	Soft Drinks @ ¾ Full of Cubed Ice	Approx. Ice Needed
6 oz. Cup	2½ oz.	20 oz. Cup	7½ oz.
8 oz. Cup	3 oz.	24 oz. Cup	9 oz.
10 oz. Cup	3½ oz.	28 oz. Cup	10½ oz.
12 oz. Cup	4½ oz.	32 oz. Cup	12 oz.
14 oz. Cup	5 oz.		
16 oz. Cup	6 oz.	Water Containers	4 lbs./gal.

Cube Sizes	Uses
Kublets: ¾" x ¾" x 1¼"	Soft Drinks & Mixed Drinks
Half-Cubes: 1¼" x 1¼" x ¾"	Soft Drinks, Mixed Drinks & Airlines
Large Cubes: 1" x 1" x 1¼"	Bagged Ice, Tall Drinks, Cocktails & Water Pitchers
Full-Cubes: 1¼" x 1¼" x 1¼"	Bagged Ice, Tall Drinks, Craft Cocktails & Water Pitchers
Crushed Ice	Salad Bars, Iced Foods, Packing & Perishables

Type of Business	Approx. Ice Per Day
Hotel/Motel Room Service	5 lbs. Cubed Ice/room
Hotel/Motel Food Service	1½ lbs. Cubed/Crushed Ice/person
Hotel/Motel Banquet Service	1 lb. Cubed/Crushed Ice/person
Restaurants	3 lbs. Cubed Ice/person
Bars/Cocktail Lounges	3 lbs. Cubed Ice/person
Hospitals	5 lbs. Cubed Ice/bed
Nursing Homes	6 lbs. Cubed Ice/bed
Salad Bars 4" Deep Per Square Foot	8 lbs. Cubed Ice/sq. ft. or 20 lbs. Crushed Ice/sq. ft.
Cafeterias	3 lbs. Cubed Ice/seat

KOLD-DRAFT

Ice Machines bins crushers dispensers

WE ARE A FRIENDLY, FLEXIBLE COMPANY,
AND OUR ICE MAKERS ARE PRETTY DARN SMART, TOO.

KOLD-DRAFT	OUR HISTORY	01
	GB1060 ICE MACHINE	02
	GB560 ICE MACHINE	03
	GT560 ICE MACHINE	04
	GT360 ICE MACHINE	05
	T280 ICE CRUSHER	06
	SC200 SERIES ICE MACHINE	07
	COCKTAIL SERIES	08
	ICE BINS	09

DETERMINING MODEL NUMBERS

HOW TO DETERMINE THE MODEL NUMBER. WHAT DO THE LETTERS AND NUMBERS MEAN?

GT = 30" machine

GB = 42" machine

36 = up to 300 lbs. of ice per 24 hours (GT only)

56 = up to 500 lbs. of ice per 24 hours

106 = up to 1000 lbs. of ice per 24 hours (GB only)

1 = 115 Volt, 60 Hz

4 = 208-230 Volt, 60 Hz

7 = 208-230 Volt, 50 Hz ****

A = Air Cooled

L = Liquid Cooled (water)

R = Remote Cooled

(GB1064, GB564, and GT564 only)

C = Full Cube

HK = Half Cube

K = Kublet

All Remotes require a separate remote
condenser and lines sets to connect the
2 pieces of equipment together.

EXAMPLE:

GT361AC

- 30" Wide
- up to 300 lbs. of ice
- 115 Volt
- Air Cooled
- Full Cube Size

GB564LHK

- 42" Wide
- up to 500 lbs. of ice
- 208-230 Volt
- Liquid Cooled
- Half Cube Size

GB1064RK

- 42" Wide
- up to 1000 lbs. of ice
- 208-230 Volt
- Remote Cooled
- Kublet Cube Size



OUR HISTORY



Founded in 1920 in Dayton, Ohio, KOLD-DRAFT's original name was Uniflow for the type of pumps manufactured. In 1926, the plant was moved to its current location in Erie, Pennsylvania. It was from this location that KOLD-DRAFT's reputation for innovation and pure dependability began.

In 1955, KOLD-DRAFT began producing automatic ice machines. Using a unique evaporator and water plate system, KOLD-DRAFT's design produced perfect, pure, clean, hard ice cubes—every time. The “upside down” horizontal evaporator was the key. Water is shot up into the evaporator cells at an incredibly high rate of speed and freezes from the outside in.

This system washes out minerals and foreign substances before the water freezes, producing pure cubes that melt slower. Slower melting ice brings drinks closer to the temperature of the ice without diluting them, keeps food colder longer, and lasts longer in coolers.

World-wide, the finest restaurants, hotel chains, mixologists, bartenders and cocktail enthusiasts call for beautifully crafted ice as the starting point for their food and beverages. Ice is the starting point of any beverage. With KOLD-DRAFT ice as the foundation, any recipe can be fabulous. Kold-Draft machines are engineered to give you 99.9% pure ice.

ICE IN ITS PUREST FORM



FULL ICE CUBE

Few brands have achieved iconic status in ice. Our machines produce the exclusive full cube. The only true square cube in the industry. It's larger and harder than all other ice.

1¼" x 1¼" x 1¼"

HALF ICE CUBE

Kold-Draft's half cube is exactly half the size of the full cube. The half cube provides excellent liquid displacement. The half cube is the right size cube for every purpose.

1¼" x 1¼" x ½"

KUBLET

Kold-Draft's kublet is exactly half the size of the half cube. The kublet is an all-purpose cube for usage in all types of beverages.

⅝" x ⅝" x 1¼"

LARGE CUBE

Kold-Draft's large cube is a unique shape. The large cube is an all-purpose cube for usage in all types of beverages. It is only made from our Cocktail Series.

1" x 1" x 1¼"



GBI060 – ICE MACHINE

THE WORKHORSE

The KOLD-DRAFT GBI060 Workhorse Series produces up to 1,000 lbs. of ice per day. The GBI060 is also stackable — allowing you to double the capacity in the same footprint.

Dimensions/Weight

Description	Dimensions / inches (cm)			Ship Weight
	W	D	H	
Air Cooled	42.3" (107.4cm)	31.1" (79cm)	33.7" (85cm)	348lb (158kg)
Liquid Cooled	42.3" (107.4cm)	25.7" (65.3cm)	33.7" (85cm)	312lb (142kg)
Remote Air Cooled	42.3" (107.4cm)	25.7" (65.3cm)	33.7" (85cm)	335lb (152kg)

Recommended Operating Requirements:

	MIN.	MAX.
Room Air Temp.	45°F (7°C)	110°F (43°C)
Water Temp.	45°F (7°C)	90°F (32°C)
Voltage 208-230	198V	253V
Potable Water Pressure	20 PSIG (137 kPa)	100 PSIG (689 kPa)
Liquid-Cooled Condenser Pressure	20 PSIG (137 kPa)	100 PSIG (689 kPa)

SHOWN WITH B950 BIN

Plumbing:

3/4" FPT potable water inlet
3/4" FPT bin drain
3/4" I.D. flex tubing cuber drain
3/8" FPT condenser (liquid-cooled) inlet
1/2" FPT condenser (liquid-cooled) outlet

Exterior Finish:

300 Series stainless steel

Refrigeration System:

Thermostatic expansion valve controlled
R-404A-HFC

Clearance Requirements:

Allow 4" left side, 8" right side and back,
and 6" top for ventilation and utility
connections.

Condenser Heat Rejection:

BTUH/kW/Ton
13,850/4.06/1.15 avg.
18,000/5.3/1.5 peak

GBI060 Series Daily Capacities: Lbs. of ice per 24 hours per unit

Model Number	Electrical Volt/Hz/Ph	Condenser	Cube Size	Ice Capacity 24 Hours lbs. (kg)		Energy Input 90°F/70°F (kWh/100# (kJ/kg))	Tier	Water Use gal/100# (l/kg) 90°F/70°F		Min. Circuit Amp	Max. Fuse Size Amps	Required Condenser
				70°F/50°F Ambient/Water	90°F/70°F Ambient/Water			Potable	Condenser			
GBI064AC	208-230/60/1	Air Cooled	Full Cube	906 (411)	725 (329)	6.2 (492)	1	16.8 (1.4)	n/a	16.3	25	n/a
GBI064AHK			Half Cube	943 (428)	782 (355)	5.9 (466)	1	18.3 (1.5)	n/a	16.3	25	
GBI064AK			Kublet	1163(528)	1036 (470)	4.5 (354)	2	37.1 (3.1)	n/a	16.3	25	
GBI064LC		Liquid Cooled	Full Cube	952 (432)	835 (379)	4.5 (357)	1	16.6 (1.4)	142 (11.8)	15.4	25	RC314APV
GBI064LHK			Half Cube	1044 (473)	892 (405)	4.6 (361)	1	18.4 (1.5)	167 (13.9)	15.4	25	
GBI064RC		Remote Air Cooled	Full Cube	950 (431)	761 (345)	5.8 (459)	1	16.9 (1.4)	n/a	18.1	30	RC314APV
GBI064RHK			Half Cube	1022 (464)	831 (377)	5.4 (429)	1	18.9 (1.6)	n/a	18.1	30	
GBI064RK			Kublet	1009 (458)	807 (366)	5.4 (429)	1	37.5 (3.1)	n/a	18.1	30	

Use Model # GBI067AK, GBI067AHK, GBI067AC, GBI067LHK, GBI067LC, GBI067RK, GBI067RHK, GBI067RC to Indicate 220/50/1.

RC Condenser Series

Model Number	Description	Dimensions / inches (cm)			Gross Weight
		W	D	H	
RC314APV	Single-circuit vertical air flow remote condenser, vapor-charged with resealable quick-connect fittings, for GBI074R Cubers	40.75" (103.5cm) including interconnect fitting housing	22.75" (57.8cm)	30.2" (76.6cm) including 10" (25.4 cm) legs and fan guard	140lb (63.5kg)



COMMITTED TO YOUR SUCCESS | THOUSANDS OF PRODUCTS, PRICED RIGHT
UNMATCHED EXPERTISE AND SERVICE | ALWAYS READY WHEN YOU ARE

GB560 – ICE MACHINE

THE SIGNATURE

The KOLD-DRAFT GB560 produces up to 500 lbs. of ice per day. Stack it on another GB Series machine and increase the amount of ice harvested.

Dimensions/Weight				
Description	Dimensions / inches (cm)			Ship Weight
	W	D	H	
Air Cooled	42.3" (107.4cm)	31.1" (79cm)	17" (43.2cm)	207lb (94kg)
Liquid Cooled	42.3" (107.4cm)	25.63" (65.1cm)	17" (43.2cm)	185lb (84kg)
Remote	42.3" (107.4cm)	25.63" (65.1cm)	17" (43.2cm)	220lb (99.8kg)

Recommended Operating Requirements:

	MIN.	MAX.
Room Temp.	45°F (7°C)	110°F (43°C)
Water Temp.	45°F (7°C)	90°F (32°C)
Voltage 208-230	198V	253V
Voltage 115	104V	126V
Potable Water Pressure	20 PSIG (137 kPa)	100 PSIG (689 kPa)
Liquid-Cooled Condenser Pressure	20 PSIG (137 kPa)	100 PSIG (689 kPa)

GB560 Series Daily Capacities: Lbs. of ice per 24 hours per unit

Model Number	Electrical Volt/Hz/Ph	Condenser	Cube Size	Ice Capacity 24 Hours lbs. (kg)		Energy Input 90°F/70°F kWh/100# (kJ/kg)	Tier	Water Use gal/100# (l/kg) 90°F/70°F		Min. Circuit Amp	Max. Fuse Size Amps	Required Condenser
				70°F/50°F Ambient/Water	90°F/70°F Ambient/Water			Potable	Condenser			
GB561AC	115/60/1	Air Cooled	Full Cube	446 (202)	365 (166)	7.1 (559)	I	16.4 (1.4)	n/a	18.6	30	n/a
GB561AHK			Half Cube	550 (249)	451 (205)	6.2 (488)	I	18.9 (1.6)	n/a	18.6	30	
GB561AK			Kublet	557 (253)	460 (209)	6.0 (480)	I	35.0 (2.9)	n/a	18.6	30	
GB561LC			Full Cube	541 (245)	459 (208)	5.3 (422)	I	16.8 (1.4)	146 (12.2)	17.7	30	
GB561LHK	208-230/60/1	Liquid Cooled	Half Cube	580 (263)	507 (230)	5.1 (403)	I	18.4 (1.5)	152 (12.6)	17.7	30	n/a
GB564AC			Full Cube	443 (201)	380 (172)	6.9 (548)	I	16.9 (1.4)	n/a	9.5	15	
GB564AHK		Air Cooled	Half Cube	556 (252)	461 (209)	6.0 (480)	I	18.1 (1.5)	n/a	9.5	15	
GB564AK			Kublet	550 (249)	460 (209)	6.0 (480)	I	35.5 (3.0)	n/a	9.5	15	
GB564LC		Liquid Cooled	Full Cube	524 (238)	478 (217)	5.2 (415)	I	16.7 (1.4)	151 (12.6)	9.1	15	
GB564LHK			Half Cube	596 (270)	499 (226)	4.8 (380)	I	17.5 (1.5)	154 (12.9)	9.1	15	
GB564RC		Remote Air Cooled	Full Cube	520 (236)	449 (209)	6.7 (532)	I	17.1 (1.4)	n/a	11.3	20	
GB564RHK			Half Cube	537 (244)	483 (219)	6.3 (500)	I	18.6 (1.6)	n/a	11.3	20	
GB564RK			Kublet	528 (239)	436 (198)	6.8 (540)	I	37.8 (3.2)	n/a	11.3	20	RC114APV

Use Model # GB567AK, GB567AHK, GB567AC, GB567LHK, GB567LC to Indicate 220/50/1.

RC Condenser Series

Model Number	Description	Dimensions / inches (cm)			Gross Weight
		W	D	H	
RC114APV	Single-circuit vertical air flow remote condenser; vapor-charged with re-sealable quick-connect fittings for GB/GT564R Cubers	40.75" (103.5cm) including interconnect fitting housing	22.75" (57.8cm)	30.2" (76.6cm) including 10" (25.4cm) legs and fan guard	135lb (62.4kg)



SHOWN WITH B650 BIN

Plumbing:

3/4" FPT potable water inlet
3/4" FPT bin drain
3/4" I.D. flex tubing cuber drain
3/8" FPT condenser (liquid-cooled) inlet
1/2" FPT condenser (liquid-cooled) outlet

Exterior Finish:

300 Series stainless steel

Refrigeration System:

Thermostatic expansion valve controlled R-404A-HFC

Clearance Requirements:

Allow 4" left side, 8" right side and back, and 6" top for ventilation and utility connections.

Condenser Heat Rejection:

BTUH/kW/Ton
6,500/1.91/0.54 avg
8,750/2.6/0.729 peak





SHOWN WITH B400 BIN

Plumbing:

3/4" FPT potable water inlet
 3/4" FPT bin drain
 3/4" I.D. flex tubing cuber drain
 3/8" FPT condenser (liquid-cooled) inlet
 1/2" FPT condenser (liquid-cooled) outlet

Exterior Finish:

300 Series stainless steel

Refrigeration System:

Thermostatic expansion valve controlled
 R-404A-HFC

Clearance Requirements:

Allow 4" left side, 8" right side and back,
 and 6" top for ventilation and utility
 connections.

Condenser Heat Rejection:

BTUH/kW/Ton
 6,500/1.91/0.54 avg.
 8,750/2.6/0.729 peak

GT560 – ICE MACHINE

THE CLASSIC

The KOLD-DRAFT GT560 produces up to 520 lbs. of our exclusive FULL cube, HALF cube, and KUBLET. Known for their shape, purity, hardness and slower melt rate, our ice lasts longer in storage bins, ice coolers, cocktail sinks, drinks, salad bars and bags.

Dimensions/Weight

Description	Dimensions / inches (cm)			Ship Weight
	W	D	H	
Air Cooled	30.1" (76.5cm)	25.7" (65.3cm)	30.7" (78cm)	228lb (103kg)
Liquid Cooled	30.1" (76.5cm)	25.7" (65.3cm)	30.7" (78cm)	218lb (99kg)
Remote	30.1" (76.5cm)	25.7" (65.3cm)	30.7" (78cm)	235lb (106.6kg)

Recommended Operating Requirements:

	MIN.	MAX.
Room Air Temp.	45°F (7°C)	110°F (43°C)
Water Temp.	45°F (7°C)	90°F (32°C)
Voltage 208-230	198V	253V
Voltage 115	104V	126V
Potable Water Pressure	20 PSIG (1.37 kPa)	100 PSIG (689 kPa)
Liquid-Cooled Condenser Pressure	20 PSIG (1.37 kPa)	100 PSIG (689 kPa)

GT560 Series Daily Capacities: Lbs. of ice per 24 hours per unit

Model Number	Electrical Volt/Hz/Ph	Condenser	Cube Size	Ice Capacity 24 Hours lbs. (kg)		Energy Input 90°F/70°F kWh/100# (kJ/kg)	Tier	Water Use gal/100# (l/kg) 90°F/70°F		Min. Circuit Amp	Max. Fuse Size Amps	Required Condenser
				70°F/50°F Ambient/Water	90°F/70°F Ambient/Water			Potable	Condenser			
GT561AC	115/60/1	Air Cooled	Full Cube	458 (208)	369 (167)	6.6 (526)	I	16.6 (1.4)	n/a	18.6	30	n/a
GT561AHK			Half Cube	575 (261)	453 (205)	6.2 (491)	I	19.4 (1.6)		18.6	30	
GT561AK			Kublet	558 (253)	461 (209)	6.0 (480)	I	36.0 (3.0)		18.6	30	
GT561LC		Liquid Cooled	Full Cube	510 (231)	447 (202)	5.2 (408)	I	17.1 (1.4)	137 (11.5)	17.7	30	
GT561LHK			Half Cube	580 (263)	500 (227)	4.9 (384)	I	18.6 (1.6)	176 (14.6)	17.7	30	
GT564AC	208-230/60/1	Air Cooled	Full Cube	471 (214)	380 (172)	6.9 (545)	I	16.7 (1.4)	n/a	9.5	15	
GT564AHK			Half Cube	550 (249)	433 (196)	6.0 (475)	I	18.4 (1.5)		9.5	15	
GT564AK			Kublet	557 (253)	460 (209)	6.0 (480)	I	35.9 (3.0)		9.5	15	
GT564LC		Liquid Cooled	Full Cube	489 (222)	429 (194)	5.1 (407)	I	16.9 (1.4)	176 (14.6)	9.1	15	
GT564LHK			Half Cube	573 (260)	494 (209)	4.7 (375)	I	17.9 (1.5)	144 (12.0)	9.1	15	
GT564RC			Full Cube	564 (256)	470 (213)	6.2 (491)	I	16.9 (1.4)	n/a	11.3	15	
GT564RHK		Remote Air Cooled	Half Cube	570 (259)	487 (221)	6.2 (491)	I	18.8 (1.6)		11.3	15	RC214APV
GT564RK			Kublet	528 (239)	436 (198)	6.8 (540)	I	37.8 (3.2)		11.3	15	

Use Model # GT567AK, GT567AHK, GT567AC, GT567LHK, GT567LC to Indicate 220/50/1.

RC Condenser Series

Model Number	Description	Dimensions / inches (cm)			Gross Weight
		W	D	H	
RC214APV	Single-circuit vertical air flow remote condenser; vapor-charged with resealable quick-connect fittings, for GB/GT564R Cubers	40.75" (103.5cm) including interconnect fitting housing	22.75" (57.8cm)	30.2" (76.6cm) including 10" (25.4 cm) legs and fan guard	135lb (61.24kg)



Made in USA



Intertek



COMPONENT



comfort | excellence

COMMITTED TO YOUR SUCCESS | THOUSANDS OF PRODUCTS, PRICED RIGHT
 UNMATCHED EXPERTISE AND SERVICE | ALWAYS READY WHEN YOU ARE

GT360 – ICE MACHINE

THE IMPACT

Even if you don't need a ton of ice, you can still make a large impact with your customers. The KOLD-DRAFT GT360 produces up to 321 lbs. of our exclusive FULL cube, HALF cube and KUBLET ice.

Dimensions/Weight				
Description	Dimensions / inches (cm)			Ship Weight
	W	D	H	
Air Cooled	30.1" (76.5cm)	25.7" (65.3cm)	16.9" (42.9cm)	180lb (82kg)
Liquid Cooled	30.1" (76.5cm)	25.7" (65.3cm)	16.9" (42.9cm)	174lb (79kg)

Recommended Operating Requirements:

	MIN.	MAX.
Room Air Temp.	45°F (7°C)	110°F (43°C)
Water Temp.	45°F (7°C)	90°F (32°C)
Voltage 208-230	198V	253V
Voltage 115	104V	126V
Potable Water Pressure	20 PSIG (137 kPa)	100 PSIG (689 kPa)
Liquid-Cooled Condenser Pressure	20 PSIG (137 kPa)	100 PSIG (689 kPa)

GT360 Series Daily Capacities: Lbs. of ice per 24 hours per unit

Model Number	Electrical Volt/ Hz/Ph	Condenser	Cube Size	Ice Capacity 24 Hours lbs. (kg)		Energy Input 90° F/70° F	Tier	Water Use gal/100# (l/ kg) 90° F/70° F		Min. Circuit Amp	Max. Fuse Size Amps	Required Condenser
				70° F/50° F Ambient/Water	90° F/70° F Ambient/Water	kWh/100# (kJ/kg)		Potable	Condenser			
GT361AC	115/60/1	Air Cooled	Full Cube	270 (122)	216 (98)	8.0 (631)	1	22.0 (1.8)	n/a	12.0	15	n/a
GT361AHK			Half Cube	332 (151)	255 (116)	7.3 (581)	1	23.6 (2.0)		12.0	15	
GT361AK			Kublet	328 (149)	269 (122)	7.7 (614)	1	40.0 (3.4)		12.0	15	
GT361LC		Liquid Cooled	Full Cube	309 (140)	262 (119)	5.6 (441)	2	22.2 (1.9)	165 (13.8)	11.1	15	
GT361LHK			Half Cube	373 (169)	316 (143)	5.2 (411)	2	22.9 (1.9)	181 (15.1)	11.1	15	
GT361LK			Kublet	362 (164)	305 (138)	5.8 (460)	1	37.3 (3.1)	135 (11.4)	11.1	15	
GT364AC	208-230/60/1	Air Cooled	Full Cube	269 (122)	215 (97)	7.6 (601)	2	22.1 (1.8)	n/a	6.5	15	
GT364AHK			Half Cube	332 (151)	255 (116)	6.9 (548)	2	23.6 (2.0)		6.5	15	
GT364AK			Kublet	334 (151)	269 (122)	7.7 (614)	1	40.0 (3.4)		6.5	15	
GT364LC		Liquid Cooled	Full Cube	301 (137)	255 (115)	5.8 (460)	1	22.0 (1.8)	163 (13.6)	6.0	15	
GT364LHK			Half Cube	358 (162)	303 (137)	5.3 (424)	2	23.2 (1.9)	189 (15.7)	6.0	15	
GT364LK			Kublet	369 (167)	305 (138)	5.8 (460)	1	37.3 (3.1)	135 (11.4)	6.0	15	

Use Model # GT367AK, GT367AHK, GT367AC, GT367LK, GT367LHK, GT367LC to Indicate 220/50/1.



SHOWN WITH B400 BIN

Plumbing:

3/4" FPT potable water inlet
3/4" FPT bin drain
3/4" I.D. flex tubing cuber drain
3/8" FPT condenser (liquid-cooled) inlet
1/2" FPT condenser (liquid-cooled) outlet

Exterior Finish:

300 Series stainless steel

Refrigeration System:

Thermostatic expansion valve controlled
R-404A-HFC

Clearance Requirements:

Allow 4" left side, 8" right side and back, and 6" top for ventilation and utility connections.

Condenser Heat Rejection:

BTUH/kW/Ton
4,700/1.38/0.39 avg.
5,850/1.71/0.49 peak





SHOWN WITH
GB560 SERIES ICE MACHINE
AND B650D BIN

Exterior Finish:

Stainless steel cabinet, crusher mechanism, and hopper for cleanliness, corrosion resistance, and long life.

Clearance Requirements:

Please see ice machine recommendations.

Crusher mechanism has ball bearings for durability.

Dual voltage, 50/60 Hz. motor.
1/3 HP capacitor start energy saver motor.

Provides for crushed and cubed ice when used with a divided bin.

Safety interlock provided to prevent operation of crusher when panels are removed.



T280 SERIES – ICE CRUSHER

THE BIG CRUSH

KOLD-DRAFT crushed ice is superior to flaked ice. Our T280 crushed ice is made from harder, denser cubes, so it lasts longer and melts slower than flaked ice.

Dimensions/Weight

Description	Dimensions / inches (cm)			Ship Weight
	W	D	H	
T280	42.3" (107.4cm)	25.5" (64.7cm)	15.5" (39.4cm)	144lb (65kg)

General Specifications for T261/T264 and T271/T274

Model Number	Voltage (V/HZ/PH)	Number of Wires	Min. Circuit Ampacity ¹	Max. Fuse Size	Operating Range	Use with Models
*T281	115/50-60/1	2	7.2	15	104-126V	GB561
*T284	208-230/50-60/1	2	4.1	15	198-253V	GB564/GB1064

*Models are for GB560 and GB1060 Series Energy Efficient Models.

We reserve the right to make product improvements at any time.
Specifications and design are subject to change without notice.

Note: Always disconnect power before cleaning or servicing equipment.

Automatic motor operation when used with **KOLD-DRAFT GB Series Ice Machines**.
Pre-wired to operate with either one or two **KOLD-DRAFT GB Series Ice Machines**.



Made in USA



COMMITTED TO YOUR SUCCESS | THOUSANDS OF PRODUCTS, PRICED RIGHT
UNMATCHED EXPERTISE AND SERVICE | ALWAYS READY WHEN YOU ARE

SC200 SERIES – SELF CONTAINED ICE MACHINE

THE KOLD-DRAFT SC200

The KOLD-DRAFT SC200 produces up to 200 lbs. of full cube ice per day. The SC200 is ideal for any undercounter or bar application. The front breathing inlet and discharge allows for installation in tight spaces.

Dimensions/Weight				
Description	Dimensions / inches (cm)			Ship Weight
	W	D	H	
Air Cooled (without legs)	26" (66cm)	28.6" (72.6cm)	31.4" (79.8cm)	185lb (84kg)
With Legs	26" (66cm)	28.6" (72.6cm)	37.4" (100cm)	185lb (84kg)

Recommended Operating Requirements:

	MIN.	MAX.
Room Temp.	45°F (7°C)	90°F (32°C)
Water Temp.	45°F (7°C)	90°F (32°C)
Voltage 220-240	210	250
Voltage 115	104	126
Potable Water Pressure	5 PSIG (0.034 MPA)	100 PSIG (0.6 MPA)

SC200 Series Daily Capacities: Lbs. of ice per 24 hours per unit

Model Number	Electrical Volt/Hz/Ph	Condenser	Cube Size	Ice Capacity 24 Hours lbs. (kg)		Energy Input 90°F/70°F kWh/100# (kJ/kg)	Tier	Water Use gal/100# (l/kg) 90°F/70°F		Min. Circuit Amp	Max. Fuse Size Amps
				70°F (21°C) / 50°F (10°C) Ambient/Water	90°F (32°C) / 70°F (21°C) Ambient/Water			Potable	Condenser		
SC201	115/60/1	Air Cooled	Full Cube	150 (68.04)	119 (53.98)	8.71 (691.28)	I	29.56 (2.47)	n/a	6	15
SC207	220-240/50/1	Air Cooled	Full Cube	149 (67.59)	118 (53.52)	8.25 (654.77)	I	29.34 (2.45)	n/a	3	15



SC200 SERIES
SELF CONTAINED
ICE MACHINE

Features:

- Produces up to 200 lbs. of full cube ice per day.
- Ideal for any undercounter or bar application.
- Front breathing inlet and discharge allows installation in tight spaces.
- Front access to ice. Door lifts up or slides in, so it's out of the way.
- Electroless nickel plated evaporator.
- Corrosion-resistant stainless steel exterior with plastic door and bin liner.
- Stores 125 lbs. of ice.

Plumbing:

- 1/2" FIP potable water inlet
- 3/4" FIP ice bin drain
- 1/2" FIP ice maker drain
- .88" Diameter electrical connection

Exterior Finish:

Corrosion-resistant stainless steel exterior with plastic door and bin liner



ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.



Plumbing:
1/4" hose
Drain

Exterior Finish:
300 Series stainless steel

Refrigeration System:
Refrigerant is R134A

Clearance Requirements:
Front must be completely unobstructed,
at least 4" of clearance on the back, and
0.6" clearance for the top and sides.



1" x 1" x 1 1/4"



COCKTAIL SERIES ICE MACHINES

COCKTAIL SERIES - KD-110, KD-70, KD-50

The KOLD-DRAFT Cocktail Series of Ice Machines provides consumers with a top-shelf choice for ice that matches their top-shelf beverage. The KOLD-DRAFT Cocktail Series produces a Large Cube measuring 1" x 1" x 1 1/4". The KOLD-DRAFT Cocktail Series consists of three machines with daily ice production of 50lbs, 70lbs or 110 lbs. KOLD-DRAFT equipment offers some of the best recovery rates in the industry, too. You get more ice, more often.

Dimensions/Weight (with 6" legs)

	Unit Dimensions / inches (cm)			Shipping Weight
	W	D	H	
KD-110	24.8" (62.99cm)	20.7" (52.58cm)	36.7" (93.21cm)	130 lb (59kg)
KD-70	19.7" (50.03cm)	17" (43.18cm)	36.7" (93.21cm)	110 lb (50kg)
KD-50	15.5" (39.37cm)	17.7" (44.95cm)	36.7" (93.21cm)	95 lb (43kg)


Recommended Operating Requirements:

	MIN.	MAX.
Room Temp.	45°F (7°C)	90°F (32°C)
Water Temp.	45°F (7°C)	90°F (32°C)
Voltage 115	104V	126V
Potable Water Pressure	5 PSIG (0.034 MPA)	100 PSIG (0.6 MPA)

Cocktail Series Daily Capacities: Lbs. of ice per 24 hours per unit

Model Number	Electrical Volt/Hz/Ph	Condenser	Cube Size	Ice Capacity 24 Hours lbs. (kg)		Energy Input 90°F/70°F kWh/100# (kJ/kg)	Tier	Water Use gal/100# (l/kg) 90°F/70°F		Min. Circuit Amp	Max. Fuse Size Amps
				70°F (21°C) / 50°F (10°C) Ambient/Water	90°F (32°C) / 70°F (21°C) Ambient/Water			Potable	Condenser		
KD-110	115/60/1	Air Cooled	Large	118 (53.5)	107 (48.5)	8.9 (738.1)	I	15.89 (1.1)	n/a	7	15
KD-70				82 (37.2)	73 (33.1)	9.2 (761.9)		21.67 (1.8)		5	
KD-50				59 (26.7)	43 (19.5)	12.9 (1023.8)		20.11 (1.7)		5	

Large Cube:



COMMITTED TO YOUR SUCCESS | THOUSANDS OF PRODUCTS, PRICED RIGHT
UNMATCHED EXPERTISE AND SERVICE | ALWAYS READY WHEN YOU ARE

ICE BINS

HVAC-Refrigeration Wholesaler

WWG

TOTALINE

REFRIGERATION



Features:

- Stainless Steel exterior.
- Rigid stainless steel lift doors withstand heavy use.
- A gasket seals the door opening to reduce ice meltage.
- Non-corroding polyethylene lined walls eliminate pitting and staining.
- Easy cleaning.
- Non-CFC polyurethane foam insulation bonds the shell and linin.
- Extra-large door openings provide maximum access for ice removal and bin cleaning.
- Low door sills allow users to easily reach ice at the bottom of the bin.



KDB230

- Match with the GT360 Series
- Storage capacity 230 lbs / 104 kg



KDB400

- Match with the GT360 or GT560 Series
- Storage capacity 400 lbs / 181 kg



KDB650

- Match with the GB560 or GB1060 Series
- Storage capacity 660 lbs / 299 kg



KDB950

- Match with the GB1060 or GB560 Series
- Storage capacity 950 lbs / 431 kg

General Specifications for KDB230/KDB400/KDB650/KDB950

Model	Dimensions / inches (cm)			Ice Capacity lb (kg)	Weight lb (kg)
	W	D	H <small>WITH 6" LEGS</small>		
KDB230	30.25" (76.8cm)	34" (86.4cm)	23" (58.4cm)	230lb (104kg)	112lb (51kg)
KDB400	30.25" (76.8cm)	34" (86.4cm)	37" (94cm)	400lb (181kg)	163lb (74kg)
KDB650	42" (106.6cm)	35" (88.9cm)	41" (104.1cm)	660lb (181kg)	182lb (82.5kg)
KDB950	48" (121.9cm)	31.75" (80.6cm)	50" (127cm)	950lb (431kg)	231lb (105kg)

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE.



CE HVAC ASSIST MOBILE APP YOUR ALL-IN-ONE SURVIVAL TOOL

CE Strives to make the life of the HVAC professional easier and faster with our all-in-one HVAC Contractor Assist mobile app. Now you have access to new product information and all the tools you need when you're on the go.



TOTALINE APP, CE APP & OUR WEEKLY DEALS...
ALL MOBILE FRIENDLY TO SERVE YOU BETTER!



FIND ALL THE TOOLS YOU NEED AT CARRIERENTERPRISE.CA

CE is the First Choice for HVAC Equipment, Parts & Supplies due to our commitment to Exceptional Service and a highly trained team. We're available 24/7 and ready to serve you - Whenever, Wherever.

SAVE TIME:
PROCESS WARRANTY
ONLINE

WEBSITE ▶
Best for administrators in the office

MOBILE APP ▶
Best for techs on the job site

Now you can perform your STANDARD warranty claims for Carrier, Bryant, and Payne equipment 2 ways - online from either our Website or Mobile App. Skip the phone call and process warranty claims when it's convenient for you. Try it now!

Matching HVAC Systems Made Easy:
THE NEW AHRI SYSTEM BUILDER

[LEARN MORE](#)

New AHRI System Builder makes creating matched HVAC systems a breeze.



VIEW THIS BUYER'S GUIDE ONLINE AT WWGTOTALINE.CA



KOLD-DRAFT Ice Making Equipment 1,2,3,4

sted List Prices: Effective July 1st, 2017

UNDERCOUNTER – SC200 SERIES					
MODEL NUMBER	VOLTAGE	DESCRIPTION	SHIPPING DIMENSIONS (W" x	SHIPPING WT (LBS)	LIST PRICE
SC201AC	115-60-1	Self Contained, Air Cooled, Full Cube	32 x 36 x 39	185	\$4,525
SC207AC	220-50-1	Self Contained, Air Cooled, Full Cube	32 x 36 x 39	185	\$4,525

Cocktail Series					
MODEL NUMBER	VOLTAGE	DESCRIPTION	SHIPPING DIMENSIONS (W" x	SHIPPING WT (LBS)	LIST PRICE
KD-50	115-60-1	Self Contained, Air Cooled, Large Cube	19 x 21 x 33	96	\$2,300
KD-70	115-60-1	Self Contained, Air Cooled, Large Cube	24 x 21 x 33	110	\$2,905
KD-110	115-60-1	Self Contained, Air Cooled, Large Cube	28 x 24 x 33	130	\$3,250

GT360 SERIES					
MODEL NUMBER ¹	VOLTAGE	DESCRIPTION	SHIPPING DIMENSIONS (W" x	SHIPPING WT (LBS)	LIST PRICE
GT361AK	115-60-1	Air Cooled, Kublet	36 x 32 x 25	175	\$4,933
GT361AHK	115-60-1	Air Cooled, Half Cube	36 x 32 x 25	175	\$4,933
GT361AC	115-60-1	Air Cooled, Full Cube	36 x 32 x 25	175	\$5,445
GT361LK	115-60-1	Liquid Cooled, Kublet	36 x 32 x 25	175	\$4,933
GT361LHK	115-60-1	Liquid Cooled, Half Cube	36 x 32 x 25	175	\$4,933
GT361LC	115-60-1	Liquid Cooled, Full Cube	36 x 32 x 25	175	\$5,445
GT364AK	208/230-60-1	Air Cooled, Kublet	36 x 32 x 25	175	\$4,933
GT364AHK	208/230-60-1	Air Cooled, Half Cube	36 x 32 x 25	175	\$4,933
GT364AC	208/230-60-1	Air Cooled, Full Cube	36 x 32 x 25	175	\$5,445

GT364LK	208/230-60-1	Liquid Cooled, Kublet	36 x 32 x 25	175	\$4,933
GT364LHK	208/230-60-1	Liquid Cooled, Half Cube	36 x 32 x 25	175	\$4,933
GT364LC	208/230-60-1	Liquid Cooled, Full Cube	36 x 32 x 25	175	\$5,445
GT367AK	220-50-1	Air Cooled, Kublet	36 x 32 x 25	175	\$4,933
GT367AHK	220-50-1	Air Cooled, Half Cube	36 x 32 x 25	175	\$4,933
GT367AC	220-50-1	Air Cooled, Full Cube	36 x 32 x 25	175	\$5,445
GT367LK	220-50-1	Liquid Cooled, Kublet	36 x 32 x 25	175	\$4,933
GT367LHK	220-50-1	Liquid Cooled, Half Cube	36 x 32 x 25	175	\$4,933
GT367LC	220-50-1	Liquid Cooled, Full Cube	36 x 32 x 25	175	\$5,445

GT360 X SERIES					
MODEL NUMBER ¹	VOLTAGE	DESCRIPTION	SHIPPING DIMENSIONS (W" x	SHIPPING WT (LBS)	LIST PRICE
GTX361AK	115-60-1	Air Cooled, Kublet	36 x 32 x 25	175	\$4,789
GTX361AHK	115-60-1	Air Cooled, Half Cube	36 x 32 x 25	175	\$4,789
GTX361AC	115-60-1	Air Cooled, Full Cube	36 x 32 x 25	175	\$5,286
GTX361LK	115-60-1	Liquid Cooled, Kublet	36 x 32 x 25	175	\$4,789
GTX361LHK	115-60-1	Liquid Cooled, Half Cube	36 x 32 x 25	175	\$4,789
GTX361LC	115-60-1	Liquid Cooled, Full Cube	36 x 32 x 25	175	\$5,286
GTX364AK	208/230-60-1	Air Cooled, Kublet	36 x 32 x 25	175	\$4,789
GTX364AHK	208/230-60-1	Air Cooled, Half Cube	36 x 32 x 25	175	\$4,789
GTX364AC	208/230-60-1	Air Cooled, Full Cube	36 x 32 x 25	175	\$5,286
GTX364LK	208/230-60-1	Liquid Cooled, Kublet	36 x 32 x 25	175	\$4,789
GTX364LHK	208/230-60-1	Liquid Cooled, Half Cube	36 x 32 x 25	175	\$4,789
GT364LC	208/230-60-1	Liquid Cooled, Full Cube	36 x 32 x 25	175	\$5,286
GTX367AK	220-50-1	Air Cooled, Kublet	36 x 32 x 25	175	\$4,789
GTX367AHK	220-50-1	Air Cooled, Half Cube	36 x 32 x 25	175	\$4,789
GTX367AC	220-50-1	Air Cooled, Full Cube	36 x 32 x 25	175	\$5,286

GTX367LK	220-50-1	Liquid Cooled, Kublet	36 x 32 x 25	175	\$4,789
GTX367LHK	220-50-1	Liquid Cooled, Half Cube	36 x 32 x 25	175	\$4,789
GTX367LC	220-50-1	Liquid Cooled, Full Cube	36 x 32 x 25	175	\$5,286

GT560 SERIES					
MODEL NUMBER ¹	VOLTAGE	DESCRIPTION	SHIPPING DIMENSIONS (W" x	SHIPPING WT (LBS)	LIST PRICE
GT561AK	115-60-1	Air Cooled, Kublet	36 x 32 x 39	225	\$5,790
GT561AHK	115-60-1	Air Cooled, Half Cube	36 x 32 x 39	225	\$5,790
GT561AC	115-60-1	Air Cooled, Full Cube	36 x 32 x 39	225	\$6,421
GT561LHK	115-60-1	Liquid Cooled, Half Cube	36 x 32 x 39	220	\$5,790
GT561LC	115-60-1	Liquid Cooled, Full Cube	36 x 32 x 39	220	\$6,421
GT564AK	208/230-60-1	Air Cooled, Kublet	36 x 32 x 39	225	\$5,790
GT564AHK	208/230-60-1	Air Cooled, Half Cube	36 x 32 x 39	225	\$5,790
GT564AC	208/230-60-1	Air Cooled, Full Cube	36 x 32 x 39	225	\$6,421
GT564LHK	208/230-60-1	Liquid Cooled, Half Cube	36 x 32 x 39	220	\$5,790
GT564LC	208/230-60-1	Liquid Cooled, Full Cube	36 x 32 x 39	220	\$6,421
GT564RK	208/230-60-1	Remote Air Cooled, Kublet	36 x 32 x 39	225	\$5,790
GT564RHK	208/230-60-1	Remote Air Cooled, Half Cube	36 x 32 x 39	225	\$5,790
GT564RC	208/230-60-1	Remote Air Cooled, Full Cube	36 x 32 x 39	225	\$6,421
GT567AK	220-50-1	Air Cooled, Kublet	36 x 32 x 39	225	\$5,790
GT567AHK	220-50-1	Air Cooled, Half Cube	36 x 32 x 39	225	\$5,790
GT567AC	220-50-1	Air Cooled, Full Cube	36 x 32 x 39	225	\$6,421
GT567LHK	220-50-1	Liquid Cooled, Half Cube	36 x 32 x 39	220	\$5,790
GT567LC	220-50-1	Liquid Cooled, Full Cube	36 x 32 x 39	220	\$6,421
MGT561LHK	115-60-1	MARINE Liquid Cooled, Half Cube	36 x 32 x 39	220	\$6,292.38
MGT561LC	115-60-1	MARINE Liquid Cooled, Full Cube	36 x 32 x 39	220	\$6,978.84
MGT564LHK	208/230-60-1	MARINE Liquid Cooled, Half Cube	36 x 32 x 39	220	\$6,292.38

MGT564LC	208/230-60-1	MARINE Liquid Cooled, Full Cube	36 x 32 x 39	220	\$6,978.84
----------	--------------	---------------------------------	--------------	-----	------------

GT560 X SERIES					
MODEL NUMBER ¹	VOLTAGE	DESCRIPTION	SHIPPING DIMENSIONS (W" x	SHIPPING WT (LBS)	LIST PRICE
GTX561AK	115-60-1	Air Cooled, Kublet	36 x 32 x 39	225	\$5,621
GTX561AHK	115-60-1	Air Cooled, Half Cube	36 x 32 x 39	225	\$5,621
GTX561AC	115-60-1	Air Cooled, Full Cube	36 x 32 x 39	225	\$6,234
GTX561LHK	115-60-1	Liquid Cooled, Half Cube	36 x 32 x 39	220	\$5,621
GTX561LC	115-60-1	Liquid Cooled, Full Cube	36 x 32 x 39	220	\$6,234
GTX564AK	208/230-60-1	Air Cooled, Kublet	36 x 32 x 39	225	\$5,621
GTX564AHK	208/230-60-1	Air Cooled, Half Cube	36 x 32 x 39	225	\$5,621
GTX564AC	208/230-60-1	Air Cooled, Full Cube	36 x 32 x 39	225	\$6,234
GTX564LHK	208/230-60-1	Liquid Cooled, Half Cube	36 x 32 x 39	220	\$5,621
GTX564LC	208/230-60-1	Liquid Cooled, Full Cube	36 x 32 x 39	220	\$6,234
GTX564RK	208/230-60-1	Remote Air Cooled, Kublet	36 x 32 x 39	225	\$5,621
GTX564RHK	208/230-60-1	Remote Air Cooled, Half Cube	36 x 32 x 39	225	\$5,621
GTX564RC	208/230-60-1	Remote Air Cooled, Full Cube	36 x 32 x 39	225	\$6,234
GTX567AK	220-50-1	Air Cooled, Kublet	36 x 32 x 39	225	\$5,621
GTX567AHK	220-50-1	Air Cooled, Half Cube	36 x 32 x 39	225	\$5,621
GTX567AC	220-50-1	Air Cooled, Full Cube	36 x 32 x 39	225	\$6,234
GTX567LHK	220-50-1	Liquid Cooled, Half Cube	36 x 32 x 39	220	\$5,621
GTX567LC	220-50-1	Liquid Cooled, Full Cube	36 x 32 x 39	220	\$6,234

GB560 SERIES					
MODEL NUMBER ¹	VOLTAGE	DESCRIPTION	SHIPPING DIMENSIONS (W" x	SHIPPING WT (LBS))	LIST PRICE
GB561AK	115-60-1	Air Cooled, Kublet	48 x 37 x 25	215	\$5,934
GB561AHK	115-60-1	Air Cooled, Half Cube	48 x 37 x 25	215	\$5,934

GB561AC	115-60-1	Air Cooled, Full Cube	48 x 37 x 25	215	\$6,582
GB561LHK	115-60-1	Liquid Cooled, Half Cube	48 x 32 x 25	200	\$5,934
GB561LC	115-60-1	Liquid Cooled, Full Cube	48 x 32 x 25	200	\$6,582
GB564AK	208/230-60-1	Air Cooled, Kublet	48 x 37 x 25	215	\$5,934
GB564AHK	208/230-60-1	Air Cooled, Half Cube	48 x 37 x 25	215	\$5,934
GB564AC	208/230-60-1	Air Cooled, Full Cube	48 x 37 x 25	215	\$6,582
GB564LHK	208/230-60-1	Liquid Cooled, Half Cube	48 x 37 x 25	200	\$5,934
GB564LC	208/230-60-1	Liquid Cooled, Full Cube	48 x 37 x 25	200	\$6,582
GB564RK	208/230-60-1	Remote Air Cooled, Kublet	48 x 37 x 25	200	\$5,934
GB564RHK	208/230-60-1	Remote Air Cooled, Half Cube	48 x 37 x 25	200	\$5,934
GB564RC	208/230-60-1	Remote Air Cooled, Full Cube	48 x 37 x 25	200	\$6,582
GB567AK	220-50-1	Air Cooled, Kublet	48 x 37 x 25	215	\$5,934
GB567AHK	220-50-1	Air Cooled, Half Cube	48 x 37 x 25	215	\$5,934
GB567AC	220-50-1	Air Cooled, Full Cube	48 x 37 x 25	215	\$6,582
GB567LHK	220-50-1	Liquid Cooled, Half Cube	48 x 32 x 25	200	\$5,934
GB567LC	220-50-1	Liquid Cooled, Full Cube	48 x 32 x 25	200	\$6,582
MGB561LHK	115-60-1	MARINE Liquid Cooled, Half Cube	48 x 32 x 25	215	\$6,481.08
MGB561LC	115-60-1	MARINE Liquid Cooled, Full Cube	48 x 32 x 25	215	\$7,188.96
MGB564LHK	208/230-60-1	MARINE Liquid Cooled, Half Cube	48 x 32 x 25	215	\$6,481.08
MGB564LC	208/230-60-1	MARINE Liquid Cooled, Full Cube	48 x 32 x 25	215	\$7,188.96

GB560 X SERIES					
MODEL NUMBER ¹	VOLTAGE	DESCRIPTION	SHIPPING DIMENSIONS (W" x	SHIPPING WT (LBS))	LIST PRICE
GBX561AK	115-60-1	Air Cooled, Kublet	48 x 37 x 25	215	\$5,761
GBX561AHK	115-60-1	Air Cooled, Half Cube	48 x 37 x 25	215	\$5,761
GBX561AC	115-60-1	Air Cooled, Full Cube	48 x 37 x 25	215	\$6,390
GBX561LHK	115-60-1	Liquid Cooled, Half Cube	48 x 32 x 25	200	\$5,761

GBX561LC	115-60-1	Liquid Cooled, Full Cube	48 x 32 x 25	200	\$6,390
GBX564AK	208/230-60-1	Air Cooled, Kublet	48 x 37 x 25	215	\$5,761
GBX564AHK	208/230-60-1	Air Cooled, Half Cube	48 x 37 x 25	215	\$5,761
GBX564AC	208/230-60-1	Air Cooled, Full Cube	48 x 37 x 25	215	\$6,390
GBX564LHK	208/230-60-1	Liquid Cooled, Half Cube	48 x 37 x 25	200	\$5,761
GBX564LC	208/230-60-1	Liquid Cooled, Full Cube	48 x 37 x 25	200	\$6,390
GBX564RK	208/230-60-1	Remote Air Cooled, Kublet	48 x 37 x 25	200	\$5,761
GBX564RHK	208/230-60-1	Remote Air Cooled, Half Cube	48 x 37 x 25	200	\$5,761
GBX564RC	208/230-60-1	Remote Air Cooled, Full Cube	48 x 37 x 25	200	\$6,390
GBX567AK	220-50-1	Air Cooled, Kublet	48 x 37 x 25	215	\$5,761
GBX567AHK	220-50-1	Air Cooled, Half Cube	48 x 37 x 25	215	\$5,761
GBX567AC	220-50-1	Air Cooled, Full Cube	48 x 37 x 25	215	\$6,390
GBX567LHK	220-50-1	Liquid Cooled, Half Cube	48 x 32 x 25	200	\$5,761
GBX567LC	220-50-1	Liquid Cooled, Full Cube	48 x 32 x 25	200	\$6,390

GB1060 SERIES					
MODEL NUMBER ¹		DESCRIPTION	SHIPPING DIMENSIONS (W" x	SHIPPING WT (LBS)	LIST PRICE
GB1064AK	208/230-60-1	Air Cooled, Kublet	48 x 37 x 43	360	\$9,977
GB1064AHK	208/230-60-1	Air Cooled, Half Cube	48 x 37 x 43	360	\$9,977
GB1064AC	208/230-60-1	Air Cooled, Full Cube	48 x 37 x 43	360	\$11,176
GB1064LHK	208/230-60-1	Liquid Cooled, Half Cube	48 x 32 x 43	320	\$9,977
GB1064LC	208/230-60-1	Liquid Cooled, Full Cube	48 x 32 x 43	320	\$11,176
GB1064RK	208/230-60-1	Remote Air Cooled, Kublet	48 x 37 x 43	320	\$9,977
GB1064RHK	208/230-60-1	Remote Air Cooled, Half Cube	48 x 37 x 43	320	\$9,977
GB1064RC	208/230-60-1	Remote Air Cooled, Full Cube	48 x 37 x 43	320	\$11,176
GB1067AK	220-50-1	Air Cooled, Kublet	48 x 37 x 43	360	\$9,977
GB1067AHK	220-50-1	Air Cooled, Half Cube	48 x 37 x 43	360	\$9,977

GB1067AC	220-50-1	Air Cooled, Full Cube	48 x 37 x 43	360	\$11,176
GB1067LHK	220-50-1	Liquid Cooled, Half Cube	48 x 32 x 43	320	\$9,977
GB1067LC	220-50-1	Liquid Cooled, Full Cube	48 x 32 x 43	320	\$11,176
GB1067RK	220-50-1	Remote Air Cooled, Kublet	48 x 32 x 43	320	\$9,977
GB1067RHK	220-50-1	Remote Air Cooled, Half Cube	48 x 32 x 43	320	\$9,977
GB1067RC	220-50-1	Remote Air Cooled, Full Cube	48 x 32 x 43	320	\$11,176
MGB1064LHK	208/230-60-1	MARINE Liquid Cooled, Half Cube	48 x 32 x 43	360	\$10,654.92
MGB1064LC	208/230-60-1	MARINE Liquid Cooled, Full Cube	48 x 32 x 43	360	\$11,934

GB1060 X SERIES					
MODEL NUMBER ¹		DESCRIPTION	SHIPPING DIMENSIONS (W" x	SHIPPING WT (LBS)	LIST PRICE
GBX1064AK	208/230-60-1	Air Cooled, Kublet	48 x 37 x 43	360	\$9,686
GBX1064AHK	208/230-60-1	Air Cooled, Half Cube	48 x 37 x 43	360	\$9,686
GBX1064AC	208/230-60-1	Air Cooled, Full Cube	48 x 37 x 43	360	\$10,849
GBX1064LHK	208/230-60-1	Liquid Cooled, Half Cube	48 x 32 x 43	320	\$9,686
GBX1064LC	208/230-60-1	Liquid Cooled, Full Cube	48 x 32 x 43	320	\$10,849
GBX1064RK	208/230-60-1	Remote Air Cooled, Kublet	48 x 37 x 43	320	\$9,686
GBX1064RHK	208/230-60-1	Remote Air Cooled, Half Cube	48 x 37 x 43	320	\$9,686
GBX1064RC	208/230-60-1	Remote Air Cooled, Full Cube	48 x 37 x 43	320	\$10,849
GBX1067AK	220-50-1	Air Cooled, Kublet	48 x 37 x 43	360	\$9,686
GBX1067AHK	220-50-1	Air Cooled, Half Cube	48 x 37 x 43	360	\$9,686
GBX1067AC	220-50-1	Air Cooled, Full Cube	48 x 37 x 43	360	\$10,849
GBX1067LHK	220-50-1	Liquid Cooled, Half Cube	48 x 32 x 43	320	\$9,686
GBX1067LC	220-50-1	Liquid Cooled, Full Cube	48 x 32 x 43	320	\$10,849
GBX1067RK	220-50-1	Remote Air Cooled, Kublet	48 x 32 x 43	320	\$9,686
GBX1067RHK	220-50-1	Remote Air Cooled, Half Cube	48 x 32 x 43	320	\$9,686
GBX1067RC	220-50-1	Remote Air Cooled, Full Cube	48 x 32 x 43	320	\$10,849

GB SERIES ICE CRUSHERS					
MODEL NUMBER	VOLTAGE	DESCRIPTION	SHIPPING DIMENSIONS (W" x	SHIPPING WT (LBS)	LIST PRICE
T281	115-60-1	Automatic Ice Crusher for GB561/GBX561	48 x 32 x 26	150	\$4,985
T284	208/230-50/60-1	Automatic Ice Crusher for GB564/1064 - GBX564/1064	48 x 32 x 26	150	\$4,985

ICE CUBER OPTIONS				
MODEL NUMBER		DESCRIPTION	SHIPPING WT (LBS)	LIST PRICE
102147001	*****	GT360 Series on top of GT360 Series Stacking Kit	5	\$335
102141401	*****	GT360 Series on top of GT560 Series Stacking Kit	5 \$335	\$335
102140001	*****	GT560 on top of GT560 Series Stacking Kit	5	\$335
102139801	*****	GB560 Series on top of GB560/GB1060 Series	5	\$335
102139901	*****	GB560/1060 Series on top of GB450/650/1250 Series Stacking Kit	5	\$335
DR3-GB	*****	GB/GBX Series Drain Riser Kit, 3"	20	\$255
DR3-GT	*****	GT/GTX Series Drain Riser Kit, 3"	20	\$255
DR3-MGB	*****	Marine GB Series Drain Riser Kit, 3.5"	20	\$255

ICE STORAGE BINS ²					
MODEL NUMBER	SERIES	DESCRIPTION	SHIPPING DIMENSIONS (W" x	SHIPPING WT (LBS)	LIST PRICE
KDB230	GT/GTX Series	230 Lb. S/S Ice Storage Bin w/ 6" legs	33 x 36 x 24	110	\$1,630
KDB400	GT/GTX Series	400 Lb. S/S Ice Storage Bin w/ 6" legs	33 x 36 x 37	140	\$1,865
KDB650	GB/GBX Series	650 Lb. S/S Ice Storage Bin w/ 6" legs	45 x 37 x 41	190	\$2,490
KDB650D	GB/GBX Series	650 Lb SS Divided Storage Bin w/6" legs	45 x 37 x 41	200	\$3,055
KDB950	GB/GBX Series	950 Lb. SS Ice Storage Bin w/ 6" legs	50 x 34 x 51	220	\$2,655
KDB950D	GB/GBX Series	950 Lb SS Divided Storage Bin w/6" legs	50 x 34 x 51	230	\$3,240
102146001	GT/GB Series	4" Leg Kit For KDB230/KDB400 Bins ONLY		5	\$230
102146601		KDB650 Divider Kit		15	\$555

102147301		KDB950 Divider Kit		20	\$580
-----------	--	--------------------	--	----	-------

REMOTE PRE-CHARGED AIR COOLED CONDENSERS

MODEL NUMBER	VOLTAGE	DESCRIPTION	SHIPPING DIMENSIONS (W" x	SHIPPING WT (LBS)	LIST PRICE
RC214APV	208/230-60-1	Precharged Remote Condenser GB564R/GT564R - All Ambients 2-Ton,	46 x 29 x 29	140	\$1,785
RC314APV	208/230-60-1	Precharged Remote Condenser GB564R/GT564R - All Ambients 2-Ton,	46 x 29 x 29	140	\$1,965

PRE-CHARGED LINE SETS

MODEL NUMBER	VOLTAGE	DESCRIPTION	SHIPPING DIMENSIONS (W" x	SHIPPING WT (LBS)	LIST PRICE
LS1034P	*****	10' Pre-Charged Line Set - 1000 LB Machines	*****	8	\$410
LS2034P	*****	20' Pre-Charged Line Set - 1000 LB Machines	*****	12	\$460
LS3034P	*****	30' Pre-Charged Line Set - 1000 LB Machines	*****	14	\$510
LS4034P	*****	40' Pre-Charged Line Set - 1000 LB Machines	*****	16	\$565
LS5034P	*****	50' Pre-Charged Line Set - 1000 LB Machines	*****	18	\$615
LS1023P	*****	10' Pre-Charged Line Set - 500 LB Machines	*****	8	\$410
LS2023P	*****	20' Pre-Charged Line Set - 500 LB Machines	*****	12	\$460
LS3023P	*****	30' Pre-Charged Line Set - 500 LB Machines	*****	14	\$510
LS4023P	*****	40' Pre-Charged Line Set - 500 LB Machines	*****	16	\$565
LS5023P	*****	50' Pre-Charged Line Set - 500 LB Machines	*****	18	\$615

WATER FILTERS

MODEL NUMBER	FLOW RATE	DESCRIPTION	MICRON	LIFE CYCLE 6 MONTHS	LIST PRICE
TLC-3200S	2.1 GPM	Carbon Block Filter w/Polyphosphates	0.5	27,000 GAL	\$140
TLC-107096F	2.1 GPM	Single Head w/Gauge and Filter	0.5	27,000 GAL	\$310
TLC-107097F	4.2 GPM	Double Head w/Gauge and Filters	0.5	54,000 GAL	\$549

WEIGHTS ARE APPROXIMATE DUE TO SKID WEIGHT VARIANCES

¹ See literature specification sheets for NSF or ETL approvals.