

MATERIAL SAFETY DATA SHEET

PRODUCT INFORMATION

Product Name:	SOLAR MATE	HD8005/HD80045
Vendor Name & Address:	HOOD CHEMICAL 295 ALLIANCE ROAD #14 MILTON ON L9T 4W8 905-876-0707	

TOXICOLOGICAL DATA

	%W/W	CAS No.	LD50(Oral Rat)	LC50 (Dermal Rabbit)
Propylene Glycol	50	57-55-6	21-33.7 g/Kg	20.8g/Kg
Inhibitor	12	7758-11-4		
Deionized Water	38			
WHMIS Classification:	NOT CONTROLLED PRODUCT UNDER WHMIS REGULATIONS			
TDG Hazard Classification:	NOT REGULATED			

PHYSICAL/CHEMICAL PROPERTIES

Appearance:	YELLOW
Odour:	ODOURLESS
Boiling Point:	370°F 188°C
Vapour Pressure:	0.22 mmHg @ 20°C
Vapour Density (Air=1):	2.62
Solubility in Water:	COMPLETE
Specific Gravity:	1.0380 (20/20C), 68°F

FIRE AND EXPLOSION HAZARD

Flash Point:	214°F 101°C
Method Used:	TAG, Closed Cup
Flammable Limits (% in air)	LFL: 2.3% UFL: 13.7%
Extinguishing Media:	WATER FOG, ALCOHOL FOAM, CO2, DRY CHEMICAL
Fire & Explosion Hazards:	NOT AVAILABLE
Fire Fighting Equipment:	WEAR POSITIVE-PRESSURE, SELF-CONTAINED BREATHING APPARATUS.
Hazardous Decomposition :	PROPIONALDEHYDE, CARBON MONOXIDE IN THE PRESENCE OF LIMITED OXYGEN IN A FIRE SITUATION

REACTIVITY DATA

Stability:	STABLE UNDER NORMAL STORAGE CONDITIONS
Incompatibility:	(SPECIFIC MATERIALS TO AVOID) - OXIDIZING MATERIAL
Hazardous Polymerization:	WILL NOT OCCUR

HEALTH HAZARD DATA

Eye Contact:	MAY CAUSE SLIGHT TRANSIENT (TEMPORARY) EYE IRRITATION. CORNEAL INJURY IS UNLIKELY
Skin Contact:	PROLONGED CONTACT IS ESSENTIALLY NONIRRITATING TO SKIN. REPEATED EXPOSURE MAY CAUSE SLIGHT FLAKING, TENDERNESS, AND SOFTENING OF SKIN.
Skin Absorption:	A SINGLE PROLONGED EXPOSURE IS NOT LIKELY TO RESULT IN THE MATERIAL BEING ABSORBED THROUGH SKIN IN HARMFUL AMOUNTS THE LD50 FOR SKIN ABSORPTION IN RABBITS IS >10g/kg.
Ingestion:	SINGLE DOSE ORAL TOXICITY IS LOW. THE ORAL LD50 FOR RATS IS 21-33.7 G/KG. * NO HAZARDS ANTICIPATED FROM INGESTION INCIDENTAL TO INDUSTRIAL EXPOSURE.
Inhalation:	A SINGLE PROLONGED (HOURS) INHALATION EXPOSURE IS NOT LIKELY TO CAUSE ADVERSE EFFECTS. MISTS ARE NOT LIKELY TO BE HAZARDOUS.

Systemic & Other Effects: REPEATED EXCESSIVE INGESTION MAY CAUSE CENTRAL NERVOUS SYSTEM EFFECTS. DID NOT CAUSE CANCER IN

LONG-TERM ANIMAL STUDIES. BIRTH DEFECTS ARE UNLIKELY. EXPOSURES HAVING NO ADVERSE EFFECTS ON THE MOTHER SHOULD HAVE NO EFFECT ON THE FETUS. IN ANIMAL STUDIES, HAS BEEN SHOWN NOT TO INTERFERE WITH REPRODUCTION. RESULTS OF IN VITRO ("TEST TUBE") MUTAGENICITY TESTS HAVE BEEN NEGATIVE. RESULTS OF MUTAGENICITY TEST IN ANIMALS HAVE BEEN NEGATIVE.

PRECAUTION FOR SAFE HANDLING AND USE	
Ventilation:	GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT
Respiratory Protection:	WHEN AIRBORN EXPOSURE GUIDELINES AND/OR COMFORT LEVELS MAY BE EXCEEDED, USE AN APPROVED AIR-PURIFYING RESPIRATOR.
Skin Protection:	USE IMPERVIOUS GLOVES WHEN PROLONGED OR FREQUENTLY REPEATED CONTACT COULD OCCUR.
Eye Protection:	USE SAFETY GLASSES. WHERE CONTACT WITH LIQUIDS IS LIKELY, CHEMICAL GOGGLES ARE RECOMMENDED BECAUSE EYE CONTACT WITH THIS MATERIAL MAY CAUSE PAIN, EVEN
	THOUGH IT IS UNLIKELY TO CAUSE INJURY.
Action To Take For Spills/Leak:	SMALL SPILLS: COVER WITH ABSORBENT MATERIAL, SOAK UP AND SWEEP INTO A DRUM LARGE SPILLS: DIKE AROUND SPILL AND PUMP INTO SUITABLE CONTAINERS.
Disposal Method:	REPROCESS OR BURN IN AN APPROVED INCINERATOR IN ACCORDANCE WITH FEDERAL, PROVINCIAL AND LOCAL REQUIREMENTS.

EMERGENCY FIRST AID PROCEDURES	
Eye:	IRRIGATE IMMEDIATELY WITH WATER FOR AT LEAST 5 MINUTES.
Skin:	WASH OFF IN FLOWING WATER OR SHOWER
Inhalation:	NO ADVERSE EFFECTS ANTICIPATED BY THIS ROUTE OF EXPOSURE
Note to Physician:	NO SPECIFIC ANTIDOTE. SUPPORTIVE CARE. TREATMENT BASED ON JUDGMENT OF THE PHYSICIAN IN RESPONSE TO REACTIONS OF THE PATIENT

PREPARATION INFORMATION	
Prepared by:	LAB PERSONNEL
Date Revised:	MAY 2009