

14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4 Tel.: 416.734.3300 Fax: 416.231.1626

Toll Free: 1.877.682.8772

www.tssa.org

October 12, 2011

CHARLES STUTSMAN NIBCO INTERNATIONAL 1516 MIDDLEBURY ST;PO BOX 1167 ELKHART IN 46515-1167 USA

Service Request Type.: BPV-National ACI Central

Service Request No.: 640626

Your Reference No.: CAT A FITTING- COOPER &COOPER ALLOY FITTINGS

Dear CHARLES STUTSMAN,

Please find enclosed the original response from NB, NS, PEI, NL, YT, NT and NU registered under the CRN No.: 0A14656.59870YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly. However, once your design has been successfully registered in all of the requested jurisdictions, you may receive an invoice from TSSA for any outstanding jurisdictional fees.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Farhiya Noor Administrative Assistant_ BPV Engineering

Tel.: 416-734-3423 Fax: 416-231-6183 Email: fnoor@tssa.org

NEW BRUNSWICK NUNAVUT

at:

MANUFACTURERS NAME:

NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

MANUFACTURERS NAME: NIBEO IN C		
MANUFACTURERS ADDRESS: 1516 M. Adlebury	St. Elkhart hi li	SA
PLANT LOCATIONS: 103 South Fredoric	3 St. Nacadache	STUDICA
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCL	E ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
Dipe fittings, including couplings, tees, elbows, Ys, plugs, unions, B Flanges: all flanges		ASME 1316.18
C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all ty	vnes.	ASME B16,22
E Strainers, filters, separators, and steam traps		1
.F Measuring devices, including pressure gauges, level gauges, sight pressure transmitters		
G Certified capacity-rated pressure relief devices acceptable as prima boilers, pressure vessels, piping and fusible plugs	ry over pressure protection on	
H Pressure retaining components that do not fall into one of the above	categories	1
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting	AECB or ASME regulrements)	
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT W	VILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
NIBCO		FORGED D WELDED D WROUGHT & CAST & OTHER D DESCRIBE OTHER:
		ļ
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF	THE ACTUAL ITEMS TO BE REG	ISTERED:
Wrought copper and cast copper All Sizes 18" thru 8"		9
Spread Sheet with dimensions ar	nd standards, dr	awings,
catalog pages, 180 documents		
		1
DECLARATION:		
Charles Stutsman Issee note 31 employed by NIBC	O INC and being t	the person having full authority and
responsibility for the quality of the end product do solemnly declare t	that the information contained in	thin farm that we are the City William in
my knowledge represents the product for which registration is sough temperature ratings, and identification markings are in accordance we manufacture of these fittings is regulated by a Quality Control Pro-	(III) the becein named etandards	
or in part and has been verified by Burecu Verifus declaration conscientiously believing it to be true, and knowing that it	ge boing cuitable for that we	
The state of the s	is of the same force and effect a	as it mage to the second second
Signature of Declarer: Hallo on Slellyman	5	
Declared before me at ELYhart, InvoiAnia, D	SA USET HINDRANDERU	Cynthia 9
This 21 day of TUNE AD 2011	F NTy Committee	Elkhari si
Commissioner of Oalhs	Ziny Conimi	SAION HX
or Notary Public: (sign) Cymhua Q Caland	*****	
(Affix Official seal to the right)		
This space for Regulate This registration must be revalidated after ten	(10) years from the date of acce	plance.
CRN: 0A14656.5	ACCI	EPTED
**************************************	PROVINCE OF DEV.	
FID#: 2909	ENVIRONMENT, EN	CE EDWARD ISLAND ERGY & FORESTRY
	C.R.NOA	VISITRY
Notes:		4656.59
All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration	DATE:	22/11
forms and one copy of supporting documentation,	1	Q -
The declaration shall be made by the person having full authority and responsibility for the quality of the end product.	INCORPORA	
4. Quality control programs shall be resubmitted for validation	INSPECTION SERV BOILER/PRESSURE	VICES SECTION
at a maximum interval of five (5) years.	MESSURE	VESSEL BRANCH
		1

NEW BRUNSWICK NUNAVUT

NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

MANUFACTURERS NAME: NIBCO IN C	
MANUFACTURERS ADDRESS: 1516 M. Adlebury St. El Khart, W.	KSA
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	hes, Tx USA
Rine fillings Including couplings to see all your Vision Fillings Including Couplings Including Coupling C	ITLE OF THE BTANDARD OF CONSTRUCTION
A pipe fittings, Including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges	ASME 316.18
C Valves: all line valves	ASME B16,22
D Expansion joints, flaxible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps	13/12/2010:00
F Measuring devices, including pressure gauges, level gauges, sight classes, levels, or	1
hiesanie nausililieiz	1
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vessels, piping and fusible plugs	
H. Pressure retaining components that do not fall into one of the above categories.	
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirements)	
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODU	CT TYPE OF CONSTRUCTION
	FORGED D. WELDED D. WROUGHT &
NIBCO	DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE F	REGISTERED:
Wrought dopper and cast copper Alloy, solder and Sizes 18" thru 8"	threaded Pittings
Sizes 18" thru 8"	J.
Spread Sheet with dimensions and standards, a	frawings !
Ratalog nania 1801.	J '
catalog pages, 180 documents	
DECLARATION.	
DECLARATION: Churles Stuts man (see note 3) employed by MIBCO INC and being responsibility for the quality of the and product do externally declare that the later will be and being responsibility for the quality of the and product do externally declare that the later will be and being responsibility for the quality of the and product do externally declare that the later will be an account of the same and product do externally declare that the later will be an account of the same ac	
	ig the person having full authority and
manufacture of these fittings is regulated by a Quality Control Program which extends to each plan or in part and has been verified by Bureau Verifets	il where fability life and the same and the
or in part and has been verified by Bureau Verifas as being suitable for that declaration conscientiously believing it to be true, and knowing that it is of the same force and effective.	purpose and a second
	A de limade de la companya de la com
Signature of Declarer: (Maille on Sluisman	
Declared before me al ELYhart, Indiana, USA USE TH INBANS	Cynthe
This all days the an an	在投资。
Commissioner of Oaths	Milition Ex
or Notary Public; (sign) Contract Colored	****
(Affix Official seal to the right)	(10 to 10 to
This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date of the control of the date of the control of the date of the control	anian AC (All Williams)
New John Advanced to the Control of	AND LABRADOR
CRN: <u>0A14656.5</u> Labrador	Department of
FID#: 2909	Government Services
Registered O	
Date2	011 8 19
Notes: 1. All filtings shall be registered in the name of the Manufacturer. GOVERNM	MENT SERVICES CENTRE
2. Each category shall be supported with two Statutory Declaration Engineering	and Inspection Services
forms and one copy of supporting documentation	Obul 1
5. The decisiation shall be made by the person having full authority and	IE AUTHORITY OF THE
4. Quality control programs shall be resubmitted for validation PUBLIC	SAFETYACTAND
at a maximum interval of five (5) years.	PRESSURE VESSELAND
I COMPRESS	
0.77m (C.55)	ED GAS REGULATIONS

FID: 2909 CRN: 0A14656.5 June 21, 2011

UNIFORM STATUTORY DECLARATION FORM

Second manufacturing location:

NIBCO de Reynosa 6410 S. 33rd Street McAllen, Texas 78503-8855 USA

Telephone: (956) 687-4916

Fax: (956) 687-1538

NIBCO Inc., Virginia 131 Johnson Drive Stuarts Draft, Virginia 24477-5734

Telephone: (540) 337-1213

Fax: (540) 337-4506

Newformal and Labrador

Newformal and Labrador

Labrador

Newfoundland And Labrador

Department of Government Services

Registered DA1456.50

Date 201 | R 19

GOVERNMENT SERVICES CENTILE

Engineering and Inspection Services

Registered by 19

UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS

NEW BRUNBWICK NUNAVUT NOVA SCOTIA YUKON

902-424-3239

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

MANUFACTURERS NAME: NIBEO INC					
WANTEACTURED ADDRESS	(4				
PLANT LOCATIONS: 723 South Fredoma St. Nacogdoches, Tx USA					
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY DILLE OF THE STANDARD OF					
Dipe filtings, including couplings, lees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all fine valves D Expansion joints, flaxible connections, and hose assemblies: all types E Strainers, filters, asporators, and steam traps F Measuring devices, including procesure gauges, level gauges, right plassos, levels, or pressure transmitters C Cartified capacity-raised pressure relief devices acceptable as primary over pressure protection on	ASME 1316.18 ASME 1316.22				
boilers, pressure vocacio, piping and fusible plugs H Pressure rateining components that do not fall into one of the above categories					
N Nuclear components: Class 1 D Class 2 D Class 3 D, (Meeting AECB or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	JYPE OF CONSTRUCTION				
	FONGEO D. WELGED D. WROUGHT ET CAST E OTHER.				
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGIS					
Wroughtdopper and cast copper alloy, solder and threaded Rittings Sizes 18" thru 8" Spread sheet with dimensions and standards, drawings, Catalog pages, 180 documents					
DECLARATION: Charles State Man (1880 notes 3) employed by NIBCO INC end being the responsibility for the quality of the end product do solemnly declare that the information contained in the my knowledge represents the product for which registration is sought. The dimensions, materials of contemporature ralings, and identification markings are in accordance with the herein named stendards. It manufacture of these fillings is regulated by a Quality Control Program which extends to each plant who or in part and has been varified by Bureau Verital as being suitable for that purp declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as Signature of Declarer (Halls on Julyana) Declared before me at Elyhout Julyana U.S.E. TH. INBARDUBILE This day of Julyana AD DO I. F. Fity bominish or Notary Public: (sign) (Affix Official soal to the right)	onstruction prosession further policy of the control of the contro				
This space for Regulatory Authority use					
This registration must be revalidated after ten (10) years from the date of actions. CRN: 0A14656.5 FID#: 2909 Do teRug.	ALL				
Notes: 1. All filtings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Sistutory Doctaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation	. 1				

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

MANUFACTURERS NAME: NIBCOINC	
MANUFACTURERS ADDRESS: 1516 M. adlebury St. El Khar	+, W WSA
PLANT LOCATIONS: 723 South Fredoria St. Naca	nadaahas Tu Visid
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGOR	Y ONLY TITLE OF THE STANDARD OF CONSTRUCTION
A Dipe fittings, including couplings, tees, elbows, Ys, plugs, unions, nine caps, or reduce	
B Flanges: all flanges C Valves: all line valves	1011/E DIGITO
D Expansion joints, flexible connections, and hose assemblies: all types	ASME B 16,22
E Strainers, hiters, separators, and steam traps	
.F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters	1
G Certified capacity-rated pressure relief devices acceptable as primary over pressure pro	otection on
bollers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories	
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME regi	ulrements)
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON T	HE PRODUCT TYPE OF CONSTRUCTION
	FORGED WELDED WROUGHT P
NIBCO'	DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITE	MS TO BE REGISTERED:
Wrought dopper and cast copper Alloy, solder	- and threaded Pittings
1 21605 18 thru 0	9
Spread Sheet with dimensions and standa	rds, drawings,
catalog pages, 180 documents	
J Pajes, 100 documents	
DECLARATION: Stuts man (see note 3) employed by NIBCO INC responsibility for the quality of the end product do salembly declare the the information	
my knowledge represents the product for which registration is sought. The dimensions temperature ratings, and identification markings are in accordance with the herein narr manufacture of these fittings is regulated by a Quality Control Program which extends to or in part and has been verified by Bureau Verrtas as being suite declaration conscientiously believing it to be true, and knowing that it is of the same for	s, materials of construction pressillers (s)
Signature of Declarer: Halles on Stellsman	£*************************************
Declared before me al ELKhart, INDIANA, USA USE T	H INOtan Bruthii Asaan
This 21 day of TUNE AD 2011	F My Commission Es
Commissioner or Caths	
or Notary Public; (sign) Cymnia g Galand	Willew ZI
(Affix Official seal to the right)	Ofuncy
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the	DEPT OF PUBLIC BASETY
time registration must be revalidated after terr (10) years from to	POLER & PRESSURE VESSEL ACT
CRN: 0A14656.5	,
FID#: 2909	REGISTRATION ONLY
110#.	CRNOA14656.51
Notes:	1/ 0
1. All fillings shall be registered in the name of the Manufacturer EX	CAMINER: KRY LARRY
2. Each category shall be supported with two Statutory Declaration	
forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and	CHIEF BOILER INSPECTOR
responsibility for the quality of the end product.	TE: 08/18/2011
Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	207.107001
	BLRs PVs
	FITTINGS COMPONENTS

NEW BRUNSWICK NUNAVUT

NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

MANUFACTURERS NAME: NIBCO INC	
THE OTHER	
13 10 made bury St. 6 1 khart, he h	SA
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	SITX USA
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all fine valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters	MILE OF THE STANDARD OF CONSTRUCTION ASME 1316.18 ASME 1316.22
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear-components: Class 1 D Class 2 D Class 3 D, (Meeting AECB or ASME requirements)	
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
NIBCO	TYPE OF CONSTRUCTION FORGED D, WELDED D WROUGHT Ø' CAST Ø OTHER D DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGIS	STERED:
Wrought dopper and cast copper alloy, solder and this sizes 18" thru 8" Spread Sheet with dimensions and standards, dra catalog pages, 180 documents	readed Rittings
DECLARATION: Churles Stuts man (responses) employed by MIBCO INC and being the	person having full authority and
my knowledge represents the product for which registration is sought. The dimensions, materials of column temperature ratings, and identification markings are in accordance with the herein named standards. I fit manufacture of these fittings is regulated by a Quality Control Program which extends to each plant when or in part and has been verified by Bureau Veritus as being suitable for that purpodeclaration conscientiously believing it to be true, and knowing that it is of the same force and effect as in	nstruction) presiding the many like in the common of the c
Signature of Declarer: Hallo on Stubsman	
Declared before me at EVENORT, INDIANA, DSA USE THINDERPORTS This 21 day of TUNE AD 2011	
or Notary Public: (slgn) (Affix Official seal to the right)	
This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptan	
CRN: 0A14656.5	TOE
FID#: 2909	
Notes: 1. All filtings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	656.5 Y 8/22
CCRSE	315

٠,	. UNIFURM S.I	A TO TORY DECLARA	HON FORM FOR THE REGISTRAT	IUN OF FITTING DESIGNS
	NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
	MANUFACTURERS NAME:	NIBCO INC		
	MANUFACTURERS ADDRE		ebury St. El Krourt, hi u	LSA
	PLANT LOCATIONS: 7		donia St. Nacoadoche	
	CATEGORY OF FI	TINGS TO BE REGISTER	D. CIRCLE ONE CATEGORY ONLY	TITLE OF THE PYANDARD OF CONSTRUCTION
	B Flangos: oil flenges C Velves: sti line valves D Expansion joints, flexible co A Strainers, filters, separators.	nnections, and hose essemi and sleam traps		ASME B16.18 ASME B16.22
	.F Measuring devices, including pressure transmitters G Certified capacity-rated pressure vessels, pig H Pressure retaining componer	suro relief devices acceptab oing and fusible pluga	le as primary over pressure protection on	
			(Meeting AEOB or ASME requirements)	
	NIBC		DASIT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION FORGED D. WRIDED D. WROUGHT & CAST & OTHER Q DESCRIBE OTHER:
ŀ	LIST OF SUPPORTING DOCUM	ENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEMS TO HE REL	SISTERED:
	Wrought dopper o	end cast copp	er Alloy, solder and to ns and standards, dr	hreaded Rittings
	catalog pages			
וס	Charation: Stutsma	A term and an amployed by	NIBCO INC and helps	the person having full authority and
my terr mai	ponsimity to the quality of the knowledge represents the pro- nperature ralings, and identifics nufacture of these fittings is reg n part and has been verified by	duct for which registration flor markings are in acco pulated by a Quality Cont Burecu Verr	or declare that the information contained in a le sought. The dimensions, materials of ordence with the herein named standards followers which extends to each plant as being sulfable for that plang that it is of the same force and effect	o this form listing and lottle best of f construction to result as the first of the second second second the first of the second second second where fabrical collection and second second the second
Sign	nature of Declarer:	so on Sleebar	and some	
Doc	lared bolore me al ELV	nart, InDIAn	IA, USA USE THINDANA	IBILASS 1
Thia	al day of Tue	رو (AD ميکي)	7	Elkhaff
Com or No	missioner of Oaths plary Public: (sign) (Affix C	mao Coo	and simil	
			or Regulatory Authority use	A CAN DE LA CANONICA DEL CANONICA DE LA CANONICA DEL CANONICA DE LA CANONICA DEL CANONICA DEL CANONICA DE LA CANONICA DEL CANONICA DEL CANONICA DE LA CANONICA DEL CANONICA DEL CANONICA DE LA CANONICA DEL
	Thie registr	auon must be revalidated	ofter ten (10) years from the date	ap conce.
CRN	N 0 1 1 4 6 5 6 . 5			\$150,00
FID#	2909		Moritiwest Registeri REGISTERI	3
2. Es forms	i: fillings shall be registered in the na ch category shall be supported will and one copy of supporting docum e deciaration shall be made by the j	i two Statutory Declaration entation.	UNDER THE AUTHOR BOILER AND P	ORITY OF
١١١٤ . ت.	s masterikhad atter og tilhen nå jire j			// >^/ I

Note 1. A 2. E form 3. T

cesponsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS NEW BRUNSWICK NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR NUNAVUT NORTHWEST TERRITORIES MUNUFACTURERS NAME: NIBEO INC MANUFACTURERS ADDRESS: 1516 Middlebury St. El Khart, W 783 South Fredoma St. Nacogdoches, OFFITTINGS TO BE REGISTENED. CIRCLE ONE CATEGORY ONLY THE OF THE STANDAND OF CONSTRUCTION 🕰 Dipe fittings, incuding couplings, Ices, elbows, Ys, plugs, unions, pipe caps, or reducers B. Flanges: all flanges ASME 1316.18 C Valvos: all fine valves

D Expansion joints, flexible connections, and hose assemblies: all types ASME B16,22 E Strainers, fitters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on bolicis, pressure vessels, piping and fusible plugs.

H. Pressure relaining components that do not fall into one of the above categories. N Nuclear components: Class I □ Class 2 □ Class 3 □, (Meeting AECB or ASME regularments) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT TYPE OF CONSTRUCTION FORGED D. WELDED D. WROUGHT & CAST O' OTHER D. DESCRIBE OTHER LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Wrought copper and cast copper alloy, solder and threaded fittings Sizes 18" thru 8" Spread Sheet with dimensions and standards, drawings, catalog pages, 180 documents DECLARATION: Stutsman (100 role 3) employed by NIBCO INC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true, and to the back of my knowledge represents the product for which registration is sought. The dimensions, materials of construction of construction is supported by the product for which registration is sought. The dimensions, materials of construction of construction is supported by the product for which registration is sought. The dimensions, materials of construction of construction is true, and to the product for which registration is sought. The dimensions contained in this form is true, and to the product for which the product for which is true, and to the product for the product for which the product for which is true, and to the product for which the prod manufacture of these filtings is regulated by a Quality Control Program which extends to each plant where fails or in part and has been verified by <u>Bureau Verifas</u> as being suitable for that purpose and as being suitable for that purpose a declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as it may Signature of Declarer: ELKhart, Inojana, USA USE & HINSON PUBLICA Declared before me at day of TUNIE Commissioner of Daths or Notary Public: (sign) Carriero (Affix Official seal to the right) This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the gate of acceptance NUNAVUT CRN: 0A14656.5 Boilers and 2909 F(D# Nonavoi เก็กกับได้ Pressure Vessels Act REGISTERED All fittings shall be registered in the name of the Manufacturer.

Each category shall be supported with two Statutory Declaration.

forms and one copy of supporting documentation.

3. The declaration shall be made by the person having (ull authority and

responsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for validation

at a maximum interval of five (5) years.

NUNAVUT
Boilers and
Pressure Vessels Act
REGISTERED
GRN DA14656 TN
Date AUG 29, 2011
Signed Chief Inspector
Territorial Registration Fee